

FIG. 1




FIG. 2




FIG. 3

2015




FIG. 4

MWIActivate

serveduser: serveduser@example.com

bank: 0815

mail: 4711

httpMessage: 1

originating: originating@example.com

timestamp: 19970621194530

priority: 7

Cancel Send

~ 600

~~File 7~~




FIG. 5




Fig. 6

TCP Header

H.225.0V2 message (e.g. SETUP, CONNECT, FACILITY, ...) ~804




FIG. 8




FIG. 11

605460

H.450.1 Test Client v.1.0
 Version: 2.1.2.3

Statistics ☒ Sound Enabled

My Phone Number ~902
 My Alias

Setup
 ~904a ~904b ~904c

Clear

```
##### received H450-Message #####
<H4501AppSupplementaryService>
<h2250CallSetupState>
<setup>
</setup>
</h2250CallSetupState>
<h4501SupplementaryService>
<networkFacilityExtension>
<sourceEntity>
<anyEntity>
</anyEntity>
</sourceEntity>
<sourceEntityAddress>
<partyNumber>
<privateNumber>
<privateTypeOfNumber>
<unknown>
</unknown>
</privateTypeOfNumber>
<privateNumberDigits>123
</privateNumberDigits>
```

FIG. 9

H.450.1 Information Elements

Interpretation/APDU ☒ ~953
 rejectAnyUnrecognizedInvokePdu

Network Facility Extension ☒ ~955

Source Entity ~956

Entity Type: anyEntity ~960a

Source Entity Address ~962

Value: 123 ~964a
 Type: partyNumber ~966a

Party Number ~970a
 Type: privateNumber ~972a
 Private Party Number ~974a
 Type: unknown ~976a
 Public Party Number ~978a
 Type: unknown ~980a

Transport ID ~982a
 IP: 15
 Port: 1

Destination Entity ~958

Entity: endpoint ~960b

Destination Entity Address ~964b

Value: 255 ~966b
 Type: transportID ~968b

Party Number ~970b
 Type: privateNumber ~972b
 Private Party Number ~974b
 Type: unknown ~976b
 Public Party Number ~978b
 Type: unknown ~980b

Transport ID ~982b
 IP: 11
 Port: 2

Save ~980 ~982 Send without APDU ~984 Send with APDU

FIG. 10




FIG. 12A




FIG. 12B




FIG. 13

	Type	Value	from.to
<input type="checkbox"/> h4501SupplementaryService	Sequence		
<input type="checkbox"/> networkFacilityExtension	Sequence		
<input type="checkbox"/> sourceEntity	Choice		
<input type="checkbox"/> endpoint	Null		
<input type="checkbox"/> anyEntity	Null		
<input type="checkbox"/> sourceEntityAddress	Choice	30001	
<input type="checkbox"/> e164	IASString		1..128
<input type="checkbox"/> h323-ID	BMPString		1..256
<input type="checkbox"/> uri-D	IASString		1..512
<input checked="" type="radio"/> transportID	Choice		
<input type="checkbox"/> emailID	IASString		1..512
<input type="checkbox"/> partyNumber	Choice		
<input type="checkbox"/> destinationEntity	Choice		
<input type="checkbox"/> endpoint	Null		
<input type="checkbox"/> anyEntity	Null		
<input type="checkbox"/> destinationEntityAddress	Choice		
<input type="checkbox"/> e164	IASString	30002	1..128
<input type="checkbox"/> h323-ID	BMPString		1..256
<input type="checkbox"/> uri-D	IASString		1..512
<input checked="" type="radio"/> transportID	Choice		
<input type="checkbox"/> emailID	IASString		1..512
<input type="checkbox"/> partyNumber	Choice		
<input type="checkbox"/> interpretationApdu	Choice		
<input type="checkbox"/> discardAnyUnrecognizedInvokePdu	Null		
<input type="checkbox"/> clearCallAnyInvokePduNotRecognized	Null		
<input type="checkbox"/> rejectAnyUnrecognizedInvokePdu	Null		
<input type="checkbox"/> serviceApdu	Choice		
<input type="checkbox"/> rosApdus	SequenceOf		
<input type="checkbox"/> 1	Choice		
<input type="checkbox"/> invoke	Sequence		
<input type="checkbox"/> invokedId	Integer	1	0..0
<input type="checkbox"/> linkedId	Integer	1	0..0
<input type="checkbox"/> opcode	Choice		
<input type="checkbox"/> local	Integer	9	0..0
<input type="checkbox"/> global	ObjectIdentifier		
<input type="checkbox"/> segment	<Unknown>		